

Form PTO-1449

Docket Number 293102003600

Application Number 10/622,869

INFORMATION DISCLOSURE CITATION IN AN APPLICATION

(Use several sheets if necessary)

Applicant

Suresh K. TIKOO

Filing Date July 18, 2003

Group Art Unit ~~Not Yet Assigned~~ 1648

Mailing Date October 9, 2003

U.S. PATENT DOCUMENTS

Examiner Initials	Ref. No.	Date	Document No.	Name	Class	Subclass	Filing Date If Appropriate
/SBC/	1.	02/14/2002	2002/0019051	Lusky et al.			
	2.	10/13/1998	5,820,868	Mittal et al.			
	3.	12/14/1999	6,001,591	Mittal et al.			
	4.	12/10/2002	6,492,343	Reddy et al.			

FOREIGN PATENT DOCUMENTS

Examiner Initials	Ref. No.	Date	Document No.	Country	Class	Subclass	Translation YES NO
	5.	03/09/1988	EP 0 259 149	Europe			

OTHER DOCUMENTS

(including author, title, Date, Pertinent Pages, Etc.)

Examiner Initials	Ref. No.	Title
	6.	GenBank Accession No. AF083132, "Sequence Analysis of Putative pVIII, E3 and Fibre Regions of Porcine Adenovirus Type 3," created on January 3, 1999, located at < http://www.ncbi.nlm.nih.gov > last visited on February 6, 2003, fourteen pages.
	7.	GenBank Accession No. J01917, "The Nucleotide Sequence of a Low Molecular Weight Ribonucleic Acid From Cells Infected with Adenovirus 2," Created on March 14, 1996, located at < http://www.ncbi.nlm.nih.gov > last visited on September 8, 2003, thirty-seven pages.
	8.	GenBank Accession No. M73260, "The Sequence of the Genome of Adenovirus Type 5 and its Comparison with the Genome of Adenovirus Type 2," created on April 8, 1996, located at < http://www.ncbi.nlm.nih.gov > last visited on October 26, 2000, twelve pages.
	9.	GenBank Accession No. U34592, "Porcine Adenovirus 3 Hexon Gene, Complete CDS: Direct Submission," Created June 11, 1996, located at < http://www.ncbi.nlm.nih.gov > last visited on September 8, 2003, three pages.
	10.	GenBank Accession No. U82628, "Nucleotide and Amino Acid Sequence Analysis of the 100K Protein of a Serotype 3 Porcine Adenovirus," created on August 5, 1999, located at < http://www.ncbi.nlm.nih.gov > last visited on September 8, 2003, two pages.
✓	11.	Bartha, A. (1969). "Proposal For Subgrouping of Bovine Adenoviruses," <i>Acta Vet. Acad. Sci. Hung.</i> 19(3):319-321.

EXAMINER: /Stacy B. Chen/

DATE CONSIDERED: 01/16/2008

EXAMINER: Initial if citation considered, whether or not the citation conforms with MPEP 609. Draw a line through the citation if not in conformance and not considered. Include a copy of this form with next communication to applicant.

Form PTO-1449

Docket Number 293102003600

Application Number 10/622,869

INFORMATION DISCLOSURE CITATION IN AN APPLICATION

(Use several sheets if necessary)

Applicant

Suresh K. TIKOO

Filing Date July 18, 2003

Group Art Unit Not Yet Assigned

Mailing Date October 9, 2003

12.	Berk, A.J. et al. (1979). "Pre-early Adenovirus 5 Gene Product Regulates Synthesis of Early Viral Messenger RNAs," <i>Cell</i> 17:935-944.	✓
13.	Berkner, K.L. et al. (1983). "Generation of Adenovirus By Transfection of Plasmids," <i>Nucleic Acid Research</i> 11(17):6003-6020.	✓
14.	Bett, A.J. et al. (1993). "Packaging Capacity and Stability of Human Adenovirus Type 5 Vectors," <i>J. Virology</i> 67(10):5911-5921.	✓
15.	Bett, A.J. et al. (1994). "An Efficient and Flexible System for Construction of Adenovirus Vectors With Insertions or Deletions in Early Regions 1 and 3," <i>Proc. Natl. Acad. Sci. USA</i> 91:8802-8806.	✓
16.	Boulanger, P.A. and Blair, G.E. (1991). "Expression and Interactions of Human Adenovirus Oncoproteins," <i>Biochem. J.</i> 275:281-299.	✓
17.	Braun, R.P. and Lee, J.S. (1988). "Immunogenic Duplex Nucleic Acids Are Nuclease Resistant," <i>J. Immunol.</i> 141(6):2084-2089.	✓
18.	Brennan, S. and Savage, R. (1990). "Embryonic Transcriptional Activation of a Xenopus Cytoskeletal Actin Gene Does Not Require a Serum Response Element," <i>Roux's Arch. Dev. Biol.</i> 199:89-96.	✓
19.	Chartier, C. et al. (1996). "Efficient Generation of Recombinant Adenovirus Vectors by Homologous Recombination in <i>Escherichia coli</i> ," <i>J. Virol.</i> 70(7):4805-4810.	✓
20.	Chaturvedi, S. et al. (1996). "Stabilization of Triple-Stranded Oligonucleotide Complexes: Use of Probes Containing Alternating Phosphodiester and Stereo-Uniform Cationic Phosphoramidate Linkages," <i>Nucleic Acids Research</i> 24(12):2318-2323.	✓
21.	Chiou, S.-K. and White, E. (1997). "p300 Binding by E1A Cosegregates with p53 Induction but Is Dispensable for Apoptosis," <i>J. Virol.</i> 71(5):3515-3525.	✓
22.	Clarke, M.C. et al. (1967). "Some Characteristics of Three Porcine Adenoviruses," <i>Arch. Ges. Virusforsch.</i> 21:91-97.	✓
23.	Clemens, P.R. et al. (1998). "In Vivo Muscle Gene Transfer of Full-Length Dystrophin with an Adenoviral Vector that Lacks all Viral Genes," <i>Gene Therapy</i> 3:965-972.	✓
24.	Daniell, E. (1976). "Genome Structure of Incomplete Particles of Adenovirus," <i>J. Virol.</i> 19(2):685-708.	✓
25.	Darbyshire, J.H. (1966). "Oncogenicity of Bovine Adenovirus Type 3 in Hamsters," <i>Nature</i> 211:102.	✓
26.	Darbyshire, J.H. et al. (1965). "A New Adenovirus Serotype of Bovine Origin," <i>J. Comp. Pathol.</i> 75:327-330.	✓
27.	Darbyshire, J.H. et al. (1966). "The Pathogenesis and Pathology of Infection in Calves with a Strain of Bovine Adenovirus Type 3," <i>Res. Vet. Sci.</i> 7:81-93.	✓
28.	Debbas, M. and White, E. (1993). "Wild-Type p53 Mediates Apoptosis by E1A, Which is Inhibited by E1B," <i>Genes Dev.</i> 7:546-554.	✓

EXAMINER: /Stacy B. Chen/

DATE CONSIDERED: 01/16/2008

EXAMINER: Initial if citation considered, whether or not the citation conforms with MPEP 609. Draw a line through the citation if not in conformance and not considered. Include a copy of this form with next communication to applicant.

Form PTO-1449

Docket Number 293102003600

Application Number 10/622,869

INFORMATION DISCLOSURE CITATION IN AN APPLICATION

(Use several sheets if necessary)

Applicant

Suresh K. TIKOO

Filing Date July 18, 2003

Group Art Unit Not Yet Assigned

Mailing Date October 9, 2003

29. Derbyshire, J.B. (1992). "Adenovirus" Chapter 11 *In Diseases of Swine* Leman et al. eds., Seventh Edition, Iowa State University Press: Ames, IA, pp. 225-227.
30. Derbyshire, J.B. et al. (1975). "Serological and Pathogenicity Studies With Some Unclassified Porcine Adenoviruses," *J. Comp. Pathol.* 85:437-443.
31. D'Halluin, J-C. et al. (1978). "Adenovirus Type 2 Assembly Analyzed by Reversible Cross-Linking of Labile Intermediates," *J. Virol.* 26(2):357-363.
32. D'Halluin, J-C. et al. (1978). "Temperature-Sensitive Mutant of Adenovirus Type 2 Blocked in Virion Assembly: Accumulation of Light Intermediate Particles," *J. Virol.* 26(2):344-357.
33. D'Halluin, J-C. et al. (1980). "Morphogenesis of Human Adenovirus Type 2 Studied with Fiber- and Fiber and Penton Base-Defective Temperature-Sensitive Mutants," *J. Virol.* 33(1):88-89.
34. Edvardsson, B. et al. (1976). "Intermediates in Adenovirus Assembly," *J. Virol.* 19(2):533-547.
35. Edvardsson, B. et al. (1978). "Assembly Intermediates Among Adenovirus Type 5 Temperature-Sensitive Mutants," *J. Virol.* 25(2):641-651.
36. Fallaux, F.J. et al. (1996). "Characterization of 911: A New Helper Cell Line for the Titration and Propagation of Early Region 1-Deleted Adenoviral Vectors," *Human Gene Therapy* 7:215-222.
37. Fallaux, F.J. et al. (1998). "New Helper Cells and Matched Early Region 1-Deleted Adenovirus Vectors Prevent Generation of Replication-Competent Adenoviruses," *Human Gene Therapy* 9:1909-1917.
38. Foy, H.M. (1989). "Adenoviruses" Chapter 3 *In Viral Infections of Humans*, Evans, A.S., ed., Plenum Medical Book Company: New York, NY pp. 77-89.
39. Goodrum, F.D. and Ornelles, D.A. (1997). "The Early Region 1B 55-Kilodalton Oncoprotein of Adenovirus Relieves Growth Restrictions Imposed on Viral Replication by the Cell Cycle," *J. Virol.* 71(1):548-561.
40. Gräble, M. and Hearing, P. (1990). "Adenovirus Type 5 Packaging Domain Is Composed of a Repeated Element That Is Functionally Redundant," *J. Virol.* 64(5):2047-2056.
41. Gräble, M. and Hearing, P. (1992). "cis and trans Requirements for the Selective Packaging of Adenovirus Type 5 DNA," *J. Virol.* 66(2):723-731.
42. Graham, F.L. (1984). "Covalently Closed Circles of Human Adenovirus DNA are Infectious," *EMBO J.* 3(12):2917-2922.
43. Graham, F.L. et al. (1973). "A New Technique for the Assay of Infectivity of Human Adenovirus 5 DNA," *Virology* 52:456-467.
44. Graham, F.L. et al. (1977). "Characteristics of a Human Cell Line Transformed by DNA from Human Adenovirus Type 5," *J. Gen. Virol.* 36:59-74.


EXAMINER:

/Stacy B. Chen/

DATE CONSIDERED:

01/16/2008

EXAMINER: Initial if citation considered, whether or not the citation conforms with MPEP 609. Draw a line through the citation if not in conformance and not considered. Include a copy of this form with next communication to applicant.

Form PTO-1449		Docket Number 293102003600	Application Number 10/622,869
INFORMATION DISCLOSURE CITATION IN AN APPLICATION (Use several sheets if necessary)		Applicant	
		Suresh K. TIKOO	
		Filing Date July 18, 2003	Group Art Unit Not Yet Assigned
		Mailing Date October 9, 2003	
 /SBC/	45.	Guilfoyle, R.A. et al. (1985). "Two Functions Encoded by Adenovirus Early Region 1A are Responsible for the Activation and Repression of the DNA-Binding Protein Gene," <i>EMBO J.</i> 4(3):707-713.	/
	46.	Gustin, K.E. and Imperiale, M.J. (1998). "Encapsidation of Viral DNA Requires the Adenovirus L1 52/55-Kilodalton Protein," <i>J. Virol.</i> 72(10):7860-7870.	/
	47.	Halbert, D.N. et al. (1985). "Adenovirus Early Region 4 Encodes Functions Required for Efficient DNA Replication, Late Gene Expression, and Host Cell Shutoff," <i>J. Virol.</i> 56(1):250-257.	/
	48.	Hammarskjöld, M-L. and Winberg, G. (1980). "Encapsidation of Adenovirus 16 DNA Is Directed by a Small DNA Sequence at the Left End of the Genome," <i>Cell</i> 20:787-795.	/
	49.	Hampsey, M. (1998). "Molecular Genetics of the RNA Polymerase II General Transcriptional Machinery," <i>Microbiol. Mol. Biol. Rev.</i> 62(2):465-503.	/
	50.	Hatfield, L. and Hearing, P. (1991). "Redundant Elements in the Adenovirus Type 5 Inverted Terminal Repeat Promote Bidirectional Transcription <i>In Vitro</i> and Are Important for Virus Growth <i>In Vivo</i> ," <i>Virology</i> 184:265-276.	/
	51.	Hearing, P. et al. (1987). "Identification of a Repeated Sequence Element Required for Efficient Encapsidation of the Adenovirus Type 5 Chromosome," <i>J. Virol.</i> 61(8):2555-2558.	/
	52.	Hearing, P. and Shenk, T. (1983). "The Adenovirus Type 5 E1A Transcriptional Control Region Contains a Duplicated Enhancer Element," <i>Cell</i> 33:695-703.	/
	53.	Hearing, P. and Shenk, T. (1986). "The Adenovirus Type 5 E1A Enhancer Contains Two Functionally Distinct Domains: One is Specific for E1A and the Other Modulates All Early Units in <i>Cis</i> ," <i>Cell</i> 45:229-236.	/
	54.	Hehir, K. M. et al. (1996). "Molecular Characterization of Replication-Competent Variants of Adenovirus Vectors and Genome Modifications To Prevent Their Occurrence," <i>J. Virol.</i> 70(12):8459-8467.	/
	55.	Hirahara, T. et al. (1990). "Isolation of Porcine Adenovirus From The Respiratory Tract of Pigs in Japan," <i>Jpn. J. Vet. Sci.</i> 52(2):407-409.	/
	56.	Holm, P.S. et al. (2002). "YB-1 Relocates to the Nucleus in Adenovirus-Infected Cells and Facilitates Viral Replication by Inducing E2 Gene Expression Through the E2 Late Promoter," <i>J. Biol. Chem.</i> 277(12):10427-10434.	/
	57.	Horwitz, M.S. (1991). "Adenoviridae and Their Replication: Structure of the Virus" Chapter 31 <i>In Fundamental Virology</i> Second Edition, Fields, B.N. et al. eds. Raven Press, Ltd.: New York, NY. pp 771-813.	/
	58.	Hu, S-H. et al. (1984). "Sequence Homology Between Bovine and Human Adenoviruses," <i>J. Virol.</i> 49(2):604-608.	/
EXAMINER: /Stacy B. Chen/			
DATE CONSIDERED: 01/16/2008			
EXAMINER: Initial if citation considered, whether or not the citation conforms with MPEP 609. Draw a line through the citation if not in conformance and not considered. Include a copy of this form with next communication to applicant.			
PTO/SB/ 08 (2-92)		Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE	
pa- 816301			

Form PTO-1449

Docket Number 293102003600

Application Number 10/622,869

INFORMATION DISCLOSURE CITATION
IN AN APPLICATION

(Use several sheets if necessary)

Applicant

Suresh K. TIKOO

Filing Date July 18, 2003

Group Art Unit Not Yet Assigned

Mailing Date October 9, 2003

59. Imler, J.L. et al. (1995). "Trans-Complementation of E1-Deleted Adenovirus: A New Vector to Reduce the Possibility of Codissemination of Wild-Type and Recombinant Adenoviruses," *Human Gene Therapy* 6:711-721. ✓
60. Imler, J.L. et al. (1996). "Novel Complementation Cell Lines Derived From Human Lung Carcinoma A549 Cells Support the Growth of E1-Deleted Adenovirus Vectors," *Gene Therapy* 3:75-84. ✓
61. Jones, N. and Shenk, T. (1979). "An Adenovirus Type 5 Early Gene Function Regulates Expression of Other Early Viral Genes," *Proc. Natl. Acad. Sci. USA* 76(8):3665-3669. ✓
62. Khoury, G. and Gruss, P. (1983). "Enhancer Elements," *Cell* 33:313-314. ✓
63. Kim, J.-H. and Chambliss, G.H. (1997). "Contacts Between *Bacillus subtilis* Catabolite Regulatory Protein CcpA and *amyO* Target Site," *Nucleic Acid Res.* 25(17):3490-3496. ✓
64. Kleiboeker, S.B. (1994). "Sequence Analysis of Putative E3, pVIII, and Fiber Genomic Regions of a Porcine Adenovirus," *Virus Res.* 31:17-25. ✓
65. Kleiboeker, S.B. (1995). "Identification and Sequence Analysis of the E1 Genomic Region of a Porcine Adenovirus," *Virus Res.* 36:259-268. ✓
66. Kleiboeker, S.B. (1995). "Sequence Analysis of the Fiber Genomic Region of a Porcine Adenovirus Predicts a Novel Fiber Protein," *Virus Res.* 39:299-309. ✓
67. Kochanek, S. et al. (1996). "A New Adenoviral Vector: Replacement of all Viral Coding Sequences with 28 kb of DNA Independently Expressing Both Full-Length Dystrophin and β -Galactosidase," *Proc. Natl. Acad. Sci. USA* 93:5731-5736. ✓
68. Kunkel, T.A. et al. (1987). "Rapid and Efficient Site-Specific Mutagenesis Without Phenotypic Selection," Chapter 19 In *Methods In Enzymology* Academic Press, Inc. Vol. 154, pp. 367-382. ✓
69. Kurokawa, T. et al. (1978). "Biochemical Studies on Bovine Adenovirus Type 3 III. Cleavage Maps of Viral DNA by Restriction Endonucleases *EcoRI*, *BamHI*, and *HindIII*," *J. Virol.* 28(1):212-218. ✓
70. Laimins, L.A. et al. (1984). "Characterization of Enhancer Elements in the Long Terminal Repeat of Moloney Murine Sarcoma Virus," *J. Virol.* 49(1):183-189. ✓
71. Latimer, L.J.P. et al. (1995). "Specificity of Monoclonal Antibodies Produced Against Phosphorothioate and RIBO Modified DNAs," *Molec. Immunol.* 32(14/15):1057-1064. ✓
72. Lowe, S.W. and Ruley, H.E. (1993). "Stabilization of the p53 Tumor Suppressor is Induced by Adenovirus 5 E1A and Accompanies Apoptosis," *Genes Dev.* 7:535-545. ✓
73. Mattson, D.E. et al. (1988). "Bovine Adenovirus Type-3 Infection in Feedlot Calves," *Am. J. Vet. Res.* 49(1):67-69. ✓
74. McCoy, R.J. et al. (1996). "Genomic Location and Nucleotide Sequence of a Porcine Adenovirus Penton Base Gene," *Arch. Virol.* 141:1367-1375. ✓
75. McCoy, R.J. et al. (1996). "Nucleotide and Amino Acid Sequence Analysis of the Porcine Adenovirus 23K Protein," *DNA Seq.* 6:251-254. ✓

EXAMINER:

/Stacy B. Chen/

DATE CONSIDERED:

01/16/2008

EXAMINER: Initial if citation considered, whether or not the citation conforms with MPEP 609. Draw a line through the citation if not in conformance and not considered. Include a copy of this form with next communication to applicant.

Form PTO-1449

Docket Number 293102003600

Application Number 10/622,869

INFORMATION DISCLOSURE CITATION IN AN APPLICATION

(Use several sheets if necessary)


Applicant

Suresh K. TIKOO

Filing Date July 18, 2003

Group Art Unit Not Yet Assigned

Mailing Date October 9, 2003



/SBC/

- | | |
|-----|---|
| 76. | Morsy, M.A. et al. (1998). "An Andeoviral Vector Deleted for all Viral Coding Sequences Results in Enhanced Safety and Extended Expression of a Leptin Transgene," <i>Proc. Natl. Acad. Sci. USA</i> 95:7866-7871. |
| 77. | Motoi, M. et al. (1972). "Neoplastic Transformation of Hamster Cells <i>In Vitro</i> by Bovine Adenovirus Type-3," <i>Gann</i> . 63:415-418. |
| 78. | Niiyama, Y. et al. (1975). "Biochemical Studies on Bovine Adenovirus Type 3 I. Purification and Properties," <i>J. Virol.</i> 16(3):621-633. |
| 79. | Parks, R.J. et al. (1996). "A Helper-Dependent Adenovirus Vector System: Removal of Helper Virus by Cre-mediated Excision of the Viral Packaging Signal," <i>Proc. Natl. Acad. Sci. USA</i> 93:13565-13570. |
| 80. | Pettersson, U. and Roberts, R.J. (1986). "Adenovirus Gene Expression and Replication: A Historical Review," <i>In Cancer Cells: DNA Tumor Viruses</i> Botchan, M. et al., eds., Cold Spring Harbor Laboratory: Cold Spring Harbor, NY, Vol. 4, pp. 37-57. |
| 81. | Peyrottes, S. et al. (1996). "Oligodeoxynucleoside Phosphoramidates (P-NH ₂): Synthesis and Thermal Stability of Duplexes with DNA and RNA Targets," <i>Nucleic Acids Res.</i> 24(10):1841-1848. |
| 82. | Reddy, P.S. et al. (1993). "Restriction Endonuclease Analysis and Molecular Cloning of Porcine Adenovirus Type 3," <i>Intervirology</i> 36:161-168. |
| 83. | Reddy, P.S. et al. (1995). "Comparison of the Inverted Terminal Repetition Sequences From Five Porcine Adenovirus Serotypes," <i>Virology</i> 212:237-239. |
| 84. | Reddy, P.S. et al. (1995). "Molecular Cloning and Physical Mapping of Porcine Adenovirus Types 1 and 2," <i>Arch Virol.</i> 140:195-200. |
| 85. | Reddy, P.S. et al. (1995). "Sequence Analysis of Putative pVIII, E3 and Fibre Regions of Porcine Adenovirus Type 3," <i>Virus Res.</i> 36:97-106. |
| 86. | Reddy, P.S. et al. (1996). "Porcine Adenoviruses Types 1, 2 and 3 have Short and Simple Early E-3 Regions," <i>Virus Res.</i> 43:99-109. |
| 87. | Reddy, P.S. et al. (1997). "Characterization of the Early Region 4 of Porcine Adenovirus Type 3," <i>Virus Genes</i> 15(1):87-90. |
| 88. | Reddy, P.S. et al. (1998). "Nucleotide Sequence, Genome Organization, and Transcription Map of Bovine Adenovirus Type 3," <i>Journal of Virology</i> 72(2):1394-1402. |
| 89. | Reddy, P.S. et al. (1998). "Nucleotide Sequence and Transcription Map of Porcine Adenovirus Type 3," <i>Virology</i> 251:414-426. |
| 90. | Reddy, P.S. et al. (1998). "Sequence and Transcription Map Analysis of Early Region-1 of Porcine Adenovirus Type-3," <i>Virus. Res.</i> 58:97-106. |
| 91. | Reddy, P.S. et al. (1999). "Porcine Adenovirus-3 as a Helper-Dependent Expression Vector," <i>J. Gen. Virol.</i> 80:2909-2916. |

EXAMINER:

/Stacy B. Chen/

DATE CONSIDERED:

01/16/2008

EXAMINER: Initial if citation considered, whether or not the citation conforms with MPEP 609. Draw a line through the citation if not in conformance and not considered. Include a copy of this form with next communication to applicant.

Form PTO-1449

Docket Number 293102003600

Application Number 10/622,869

INFORMATION DISCLOSURE CITATION IN AN APPLICATION

(Use several sheets if necessary)


Applicant

Suresh K. TIKOO

Filing Date July 18, 2003

Group Art Unit Not Yet Assigned

Mailing Date October 9, 2003



92.	Reddy, P.S. et al. (1999). "Replication-Defective Bovine Adenovirus Type 3 as an Expression Vector," <i>Journal of Virology</i> 73(11):9137-9144.
93.	Rekosh, D.M.K. et al. (1977). "Identification of a Protein Linked to the Ends of Adenovirus DNA," <i>Cell</i> 11:283-295.
94.	Robinson, A.J. et al. (1973). "A Circular DNA-Protein Complex from Adenovirus," <i>Virology</i> 56:54-69.
95.	Rubin, B.A. (1993). "Clinical Picture and Epidemiology of Adenovirus Infections," <i>Acta Microbiol. Hung.</i> 40(4):303-323.
96.	Russell, W.C. (2000). "Update on Adenovirus and its Vectors," <i>J. Gen. Virol.</i> 81:2573-2604.
97.	Schmid, S.I. and Hearing, P. (1997). "Bipartite Structure and Functional Independence of Adenovirus Type 5 Packaging Elements," <i>J. Virol.</i> 71(5):3375-3384.
98.	Schmid, S.I. and Hearing, P. (1998). "Cellular Components Interact with Adenovirus Type 5 Minimal DNA Packaging Domains," <i>J. Virol.</i> 72(8):6339-6347.
99.	Schultz, R.G. and Gryaznov, S.M. (1996). "Oligo-2'-Fluoro-2'-Deoxynucleotide N3'→ P5' Phosphoramidates: Synthesis and Properties," <i>Nucleic Acids Res.</i> 24(15):2966-2973.
100.	Shinagawa, M. et al. (1987). "Phylogenetic Relationships Between Adenoviruses as Inferred From Nucleotide Sequences of Inverted Terminal Repeats," <i>Gene</i> 55:85-93.
101.	Takiff, H.E. et al. (1981). "Propagation and In Vitro Studies of Previously Non-Cultivable Enteral Adenoviruses in 293 Cells," <i>The Lancet</i> 11:832-834.
102.	Tibbetts, C. (1977). "Viral DNA Sequences from Incomplete Particles of Human Adenovirus Type 7," <i>Cell</i> 12:243-249.
103.	Tsukamoto, K. and Sugino, Y. (1972). "Nonproductive Infection and Induction of Cellular Deoxyribonucleic Acid Synthesis by Bovine Adenovirus Type 3 in a Contact-Inhibited Mouse Cell Line," <i>J. Virol.</i> 9(3):465-473.
104.	Tuboly, T. et al. (1993). "Potential Viral Vectors for the Stimulation of Mucosal Antibody Responses Against Enteric Viral Antigens in Pigs," <i>Res. in Vet. Sci.</i> 54:345-350.
105.	Vrati, S. et al. (1995). "Sequence of Ovine Adenovirus Homologs for 100K Hexon Assembly, 33K, pVIII, and Fiber Genes: Early Region E3 Is Not in the Expected Location," <i>Virology</i> 209:400-408.
106.	Whyte, P. et al. (1988). "Two Regions of the Adenovirus Early Region 1A Proteins Are Required for Transformation," <i>J. Virol.</i> 62(1):257-265.
107.	Wold, W.S.M. and Gooding, L.R. (1991). Minireview: Region E3 of Adenovirus: A Cassette of Genes Involved in Host Immunosurveillance and Virus-Cell Interactions," <i>Virology</i> 184:1-8.
108.	Xiang, Z.Q. et al. (1996). "A Replication-Defective Human Adenovirus Recombinant Serves as a Highly Efficacious Vaccine Carrier," <i>Virology</i> 219:220-227.

EXAMINER:

/Stacy B. Chen/

DATE CONSIDERED:

01/16/2008

EXAMINER: Initial if citation considered, whether or not the citation conforms with MPEP 609. Draw a line through the citation if not in conformance and not considered. Include a copy of this form with next communication to applicant.

Form PTO-1449

INFORMATION DISCLOSURE CITATION IN AN APPLICATION

(Use several sheets if necessary)

Docket Number 293102003600

Application Number 10/622,869


Applicant

Suresh K. TIKOO

Filing Date July 18, 2003

Group Art Unit Not Yet Assigned

Mailing Date October 9, 2003



/SBC/

- | | | |
|------|--|---|
| | | Zhang, W. and Imperiale, M.J. (2000). "Interaction of the Adenovirus IVa2 Protein with Viral Packaging Sequences," <i>J. Virol.</i> 74(6):2687-2690. |
| 110. | | Zhang, W. et al. (2001). "Role for the Adenovirus IVa2 Protein in Packaging of Viral DNA," <i>J. Virol.</i> 75(21):10446-10459. |
| 111. | | Zheng, B. et al. (1994). "The E1 Sequence of Bovine Adenovirus Type 3 and Complementation of Human Adenovirus Type 5 E1A Function in Bovine Cells," <i>Virus Research</i> 31:163-186. |
| 112. | | Zhou, Y. and Tikoo, S.K. (2001). "Analysis of Early Region 1 of Porcine Adenovirus Type 3," <i>Virology</i> 291:68-76. |
| 113. | | Zoller, M.J. and Smith, M. (1982). "Oligonucleotide-Directed Mutagenesis Using M13-derived Vectors: An Efficient and General Procedure for the Production of Point Mutations in any Fragment of DNA," <i>Nucleic Acids Res.</i> 10(20):6487-6500. |

EXAMINER: /Stacy B. Chen/

DATE CONSIDERED: 01/16/2008

EXAMINER: Initial if citation considered, whether or not the citation conforms with MPEP 609. Draw a line through the citation if not in conformance and not considered. Include a copy of this form with next communication to applicant.

Form PTO-1449

INFORMATION DISCLOSURE CITATION IN AN APPLICATION

(Use several sheets if necessary)

Docket Number 293102003600

Application Number 10/622,869


Applicant

Suresh K. TIKOO

Filing Date July 18, 2003

Group Art Unit ~~1649~~ 1648

Mailing Date June 2, 2004



U.S. PATENT DOCUMENTS

Examiner Initials	Ref. No.	Date	Document No.	Name	Class	Subclass	Filing Date If Appropriate

FOREIGN PATENT DOCUMENTS

Examiner Initials	Ref. No.	Date	Document No.	Country	Class	Subclass	Translation YES NO
/SBC/	1.	10/21/1999	WO 99/53047	WIPO			

OTHER DOCUMENTS

(including author, title, Date, Pertinent Pages, Etc.)

Examiner Initials	Ref. No.	Title
	2.	International Search Report mailed on March 18, 2004, for PCT Patent Application No. PCT/IB03/03724 filed on July 18, 2003, seven pages.
	3.	Reddy, P.S. et al. (1999). "Development of Porcine Adenovirus-3 As An Expression Vector," <i>Journal of General Virology</i> 80:563-570.
	4.	Tuboly, T. et al. (2001). "Construction and Characterization of Recombinant Porcine Adenovirus Serotype 5 Expressing the Transmissible Gastroenteritis Virus Spike Gene," <i>Journal of General Virology</i> 82:183-190.
↓	5.	Xing, L. et al. (2003). "Characterization of cis-acting Sequences Involved in Packaging Porcine Adenovirus Type 3," <i>Virology</i> 314:650-661.

EXAMINER: /Stacy B. Chen/

DATE CONSIDERED: 01/16/2008

EXAMINER: Initial if citation considered, whether or not the citation conforms with MPEP 609. Draw a line through the citation if not in conformance and not considered. Include a copy of this form with next communication to applicant.